

Size Range	Long Description (Family)	Short Description	Material	Material Code	End Type	Facing	Pressure Class	Schedule	Design Std	Design Pressure Factor	Manufacturer
25 - 1200	BACKING FLANGE	BACKING FLANGE FOR STUB END	GFRP		FL	FF	16			16	
25 - 1200	BACKING FLANGE	BACKING FLANGE FOR STUB END	GFRP		FL	C	16			16	
25 - 1200	BACKING FLANGE	BACKING FLANGE FOR STUB END	GFRP		FL	FF	10			10	
25 - 1200	BACKING FLANGE	BACKING FLANGE FOR STUB END	GFRP		FL	B1	10			10	
25 - 1200	BACKING FLANGE	BACKING FLANGE FOR STUB END	GFRP		FL	C	10			10	
25 - 1000	BLIND FLANGE	BLIND FLANGE	GFRP		FL	B1	10			10	
25 - 600	BLIND FLANGE	BLIND FLANGE	GFRP		FL	C	10			10	
25 - 600	BLIND FLANGE	BLIND FLANGE	GFRP		FL	FF	10			10	
25 - 600	BLIND FLANGE	BLIND FLANGE	GFRP		FL	FF	16			16	
25 - 600	BLIND FLANGE	BLIND FLANGE	GFRP		FL	C	16			16	
25 - 1200	CAP	CAP	GFRP		BV					16	
25 - 1200	CAP	CAP	GFRP		BV					10	
40 - 1200	CONCENTRIC REDUCER, BELL/ SPIGOT	REDUCER CONC.	GFRP		BELL		16			16	
40 - 1200	CONCENTRIC REDUCER, BELL/ SPIGOT	REDUCER CONC.	GFRP		BELL		10			10	
40 - 1200	CONCENTRIC REDUCER, GFRP, PE	REDUCER CONC.	GFRP		BV		16			16	
40 - 1200	CONCENTRIC REDUCER, GFRP, PE	REDUCER CONC.	GFRP		BV		10			10	
40 - 1200	ECCENTRIC REDUCER, BELL/ SPIGOT	REDUCER ECC-NEW	GFRP		BELL		10			10	
40 - 1200	ECCENTRIC REDUCER, BELL/ SPIGOT	REDUCER ECC.	GFRP		BELL		10			10	
40 - 1200	ECCENTRIC REDUCER, GFRP, PE	REDUCER ECC.	GFRP		BV		16			16	
40 - 1200	ECCENTRIC REDUCER, GFRP, PE	REDUCER ECC.	GFRP		BV		10			10	
25 - 1200	ELBOW 30°, GFRP, PE	ELBOW 30	GFRP		PL		10			10	
25 - 1200	ELBOW 30°, GFRP, PE	ELBOW 30	GFRP		PL		16			16	
25 - 1200	ELBOW 45°, BELL/ SPIGOT	ELBOW 45	GFRP		BELL		10			10	
25 - 1200	ELBOW 45°, GFRP, PE	ELBOW 45	GFRP		PL		16			16	
25 - 1200	ELBOW 45°, GFRP, PE	ELBOW 45	GFRP		PL		10			10	
25 - 1200	ELBOW 60°, GFRP, PE	ELBOW 60	GFRP		PL		16			16	
25 - 1200	ELBOW 60°, GFRP, PE	ELBOW 60	GFRP		PL		10			10	
25 - 1200	ELBOW 90°, BELL/ SPIGOT	ELBOW 90	GFRP		BELL		10			10	
25 - 1200	ELBOW 90°, BELL/ SPIGOT	ELBOW 90	GFRP		BELL		10			10	
25 - 1200	ELBOW 90°, BELL/ SPIGOT	ELBOW 90	GFRP		BELL		16			16	
25 - 1200	ELBOW 90°, GFRP, PE	ELBOW 90	GFRP		PL		10			10	
25 - 1200	ELBOW 90°, GFRP, PE	ELBOW 90	GFRP		PL		16			16	
25 - 1200	FIXED FLANGE	FIXED FLANGE	GFRP		FL	FF	10			10	
25 - 1200	FIXED FLANGE	FIXED FLANGE	GFRP		FL	FF	16			16	

25 - 1200	FIXED FLANGE	FIXED FLANGE	GFRP		FL	C	16			16	
25 - 1200	FIXED FLANGE	FIXED FLANGE	GFRP		FL	C	10			10	
25 - 1200	FIXED FLANGE	FIXED FLANGE	GFRP		FL	B1	10			10	
25 - 1200	FLANGE ADAPTER, BELL END	FLANGE ADAPTER	GFRP		FL	C	16			16	
25 - 1200	FLANGE ADAPTER, BELL END	FLANGE ADAPTER	GFRP		FL	C	10			10	
25 - 1200	FLANGE ADAPTER, BELL END	FLANGE ADAPTER	GFRP		FL	FF	10			10	
25 - 1200	FLANGE ADAPTER, BELL END	FLANGE ADAPTER	GFRP		FL	FF	16			16	
25 - 1200	FLANGE ADAPTER, BELL END	FLANGE ADAPTER	GFRP		LAP	B1	10			10	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		FL	C	10			10	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		FL	FF	10			10	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		LAP	B1	10			10	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		FL	FF	16			16	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		FL	C	16			16	
25 - 1200	FLANGE ADAPTER, SPIGOT END	FLANGE ADAPTER	GFRP		FL	FF	10			10	
10 - 3000	Gasket, O-Ring, 10, DIN EN 1514-8	Gasket, O-Ring			Undefined_ET	C	10				
10 - 3000	Gasket, O-Ring, 10, DIN EN 1514-8, B1	Gasket, O-Ring			Undefined_ET	B1	10			10	
25 - 1200	LOOSE FLANGE ADAPTER, BELL END	LOOSE FLANGE ADAPTER	GFRP		LAP	C	16			16	
25 - 1200	LOOSE FLANGE ADAPTER, BELL END	LOOSE FLANGE ADAPTER	GFRP		LAP	FF	10			10	
25 - 1200	LOOSE FLANGE ADAPTER, BELL END	LOOSE FLANGE ADAPTER	GFRP		LAP	C	10			10	
25 - 1200	LOOSE FLANGE ADAPTER, BELL END	LOOSE FLANGE ADAPTER	GFRP		LAP	FF	16			16	
25 - 1200	LOOSE FLANGE ADAPTER, SPIGOT END	LOOSE FLANGE ADAPTER	GFRP		LAP	FF	16			16	
25 - 1200	LOOSE FLANGE ADAPTER, SPIGOT END	LOOSE FLANGE ADAPTER	GFRP		LAP	C	10			10	
25 - 1200	LOOSE FLANGE ADAPTER, SPIGOT END	LOOSE FLANGE ADAPTER	GFRP		LAP	C	16			16	
25 - 1200	LOOSE FLANGE ADAPTER, SPIGOT END	LOOSE FLANGE ADAPTER	GFRP		LAP	FF	10			10	
100 - 100	PLASTI ELBOW	PLASTI ELBOW			BELL		10			10	
400 - 1200	PLASTISAND GRAVITY PIPE, BELL/ SPIGOT, S=10000	PIPE	GFRP	FIX LENGHT	BELL		10		S=1000 0	10	
400 - 1200	PLASTISAND GRAVITY PIPE, BELL/ SPIGOT, S=10000	PIPE	GFRP		BELL		10		S=1000 0	10	
400 - 1200	PLASTISAND GRAVITY PIPE, BELL/ SPIGOT, S=2500	PIPE	GFRP	FIX LENGHT	BELL		10		S=2500	10	
400 - 1200	PLASTISAND GRAVITY PIPE, BELL/ SPIGOT, S=2500	PIPE	GFRP		BELL		10		S=2500	10	

400 - 1200	PLASTISAND GRAVITY PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP		BELL		10		S=5000	10		
400 - 1200	PLASTISAND GRAVITY PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP	FIX LENGHT	BELL		10		S=5000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=10000	PIPE	GFRP	FIX LENGHT	BELL		10		S=10000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=10000	PIPE	GFRP		PL		10		S=10000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=10000	PIPE	GFRP		BELL		10		S=10000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=10000, LOCK JOINT	PIPE	GFRP		BELL		10		S=10000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=10000, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10		S=10000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP		BELL		10		S=2500	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP		PL		10		S=2500	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP	FIX LENGHT	BELL		10		S=2500	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=2500, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10		S=2500	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=2500, LOCK JOINT	PIPE	GFRP		BELL		10		S=2500	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP		PL		10		S=5000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP		BELL		10		S=5000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP	FIX LENGHT	BELL		10		S=5000	10		

400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10		S=5000	10		
400 - 1200	PLASTISAND PRESSURE PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP		BELL		10		S=5000	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=10000	PIPE	GFRP		BELL		16		S=1000 0	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=10000	PIPE	GFRP	FIX LENGHT	BELL		16		S=1000 0	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=10000, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		16		S=1000 0	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=10000, LOCK JOINT	PIPE	GFRP		BELL		16		S=1000 0	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=1250	PIPE	GFRP		BELL		10		S=1250	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=1250	PIPE	GFRP	FIX LENGHT	BELL		10		S=1250	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=1250, LOCK JOINT	PIPE	GFRP		BELL		10		S=1250	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=1250, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10		S=1250	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP		BELL		10		S=2500	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP	FIX LENGHT	BELL		10		S=2500	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP	FIX LENGHT	BELL		16		S=2500	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500	PIPE	GFRP		BELL		16		S=2500	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500, LOCK JOINT	PIPE	GFRP		BELL		10		S=2500	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=2500, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10		S=2500	10		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP		BELL		16		S=5000	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000	PIPE	GFRP	FIX LENGHT	BELL		16		S=5000	16		
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP		BELL		10		S=5000	10		

25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP		BELL		16	S=5000	16	
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		10	S=5000	10	
25 - 1200	PLASTIWIND PIPE, BELL/SPIGOT, S=5000, LOCK JOINT	PIPE	GFRP	FIX LENGHT	BELL		16	S=5000	16	
25 - 1200	PLASTIWIND PIPE, S=10000	PIPE	GFRP		PL		16	S=10000	16	
25 - 1200	PLASTIWIND PIPE, S=1250	PIPE	GFRP		PL		10	S=1250	10	
25 - 1200	PLASTIWIND PIPE, S=2500	PIPE	GFRP		PL		10	S=2500	10	
25 - 1200	PLASTIWIND PIPE, S=5000	PIPE	GFRP		PL		16	S=5000	16	
25 - 1200	PLASTIWIND PIPE, S=5000	PIPE	GFRP		PL		10	S=5000	10	
25 - 1200	PLASTIWIND PIPE BELL/SPIGOT	PIPE	GFRP		BELL		10	S=1250	10	
50 - 1200	REDUCER TEE 90°, FIXED FLANGE	RED TEE 90°	GFRP		FL	B1	10		10	
50 - 1200	REDUCER TEE 90°, FIXED FLANGE	RED TEE 90°	GFRP		FL	C	10		10	
50 - 1200	REDUCER TEE 90°, FIXED FLANGE	RED TEE 90°	GFRP		FL	C	16		16	
50 - 1200	REDUCER TEE 90°, FIXED FLANGE	RED TEE 90°	GFRP		FL	C	10		10	
50 - 1200	REDUCER TEE 90°, FIXED FLANGE	RED TEE 90°	GFRP		FL	C	16		16	
50 - 1200	REDUCER TEE 90°, GFRP, PE	RED TEE 90°	GFRP		BV		16		16	
50 - 1200	REDUCER TEE 90°, GFRP, PE	RED TEE 90°	GFRP		BV		10		10	
25 - 1200	STUB END	STUB END			LAP	FF	10		10	
25 - 1200	STUB END	STUB END			LAP	FF	16		16	
25 - 1200	STUB END	STUB END			LAP	B1	10		10	
25 - 1200	STUB END	STUB END			LAP	C	10		10	
25 - 1200	STUB END	STUB END			LAP	C	16		16	
50 - 1200	TEE 90°	TEE 90°	GFRP		BV		16		16	
50 - 1200	TEE 90°	TEE 90°	GFRP		BV		10		10	
50 - 1200	TEE 90°, FIXED FLANGE	TEE 90°	GFRP		FL	FF	10		10	
50 - 1200	TEE 90°, FIXED FLANGE	TEE 90°	GFRP		FL	C	10		10	
50 - 1200	TEE 90°, FIXED FLANGE	TEE 90°	GFRP		FL	B1	10		10	
50 - 1200	TEE 90°, FIXED FLANGE	TEE 90°	GFRP		FL	FF	16		16	
50 - 1200	TEE 90°, FIXED FLANGE	TEE 90°	GFRP		FL	C	16		16	
50 - 1200	TEE, BELL/SPIGOT/ SPIGOT	TEE 90°_NEW	GFRP		BELL		10		10	
50 - 1200	TEE, BELL/SPIGOT/ SPIGOT	TEE 90°	GFRP		BELL		10		10	
50 - 1200	TEE, BELL/SPIGOT/ SPIGOT	TEE 90°	GFRP		BELL		10		10	



GRP Reinforced Fiber Glass